SAFETY DATA SHEET

SANISOL

Page 1 Issued: 01/08/2008

Revision No: 3

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: SANISOL

Product code: T1

Use of substance / preparation: T1: A highly concentrated professional use toilet and urinal descaler not suitable for use on

stainless steel.

Company name: A.1. Services (Southern) Ltd

479 – 481 London Road,

Camberley, Surrey, GU15 3JA.

TEL: +44 (0) 01276 685 985 FAX: +44 (0) 01276 685 657 EMAIL: info@a1supplies.co.uk

WEB: www.a1cleaningsupplies.co.uk

2. HAZARDS IDENTIFICATION

Main hazards: Irritating to eyes, respiratory system and skin.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: C10 - C16 PARETH (2 - 10 EO) 1-10%

[Xi] R41

• HYDROCHLORIC ACID 10-30%

EINECS: 231-595-7 [C] R34; [Xi] R37

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and pain.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may

occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Drench the affected skin with running water for 10 minutes or longer if substance is still on skin.

Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.

[cont...]

Issued: 01/08/2008

SANISOL Page 2

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious, ensure

the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Water. Water spray.

Exposure hazards: In combustion emits toxic fumes of hydrogen chloride / phosgene.

Protection of fire-fighters: Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection

details. If outside keep bystanders upwind and away from danger point.

Environmental precautions: Do not discharge into drains or rivers.

Clean-up procedures: Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Polyethylene.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Gas/vapour filter, type E: sulphur dioxide and other acid gases (EN141).

Hand protection: Protective gloves. Gloves (acid resistant).

Eye protection: Tightly fitting safety goggles.

Skin protection: Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid Colour: Yellow Odour: Pungent

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Non-viscous

Relative density: 1.08

pH: 1% = 1.4

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Materials to avoid: Oxidising agents.

Haz. decomp. products: In combustion emits toxic fumes of hydrogen chloride / phosgene.

[cont...]

SAFETY DATA SHEET

SANISOL Page 3

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

13. DISPOSAL CONSIDERATIONS

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

UN no: 3264 ADR Class: 8

Packing group: III Classification code: C1

Shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(HYDROCHLORIC ACID...17%)

Labelling: 8 Hazard ID no: 80



IMDG / IMO

UN no: 3264 Class: 8

Packing group: III EmS: F-A,S-B

Marine pollutant: .

Labelling: 8

IATA / ICAO

UN no: 3264 Class: 8

Packing group: III

Packing instructions: 818(P&CA); 820(CAO)

Labelling: 8

15. REGULATORY INFORMATION

Hazard symbols: Irritant.



[cont...]

SAFETY DATA SHEET

SANISOL Page 4

Risk phrases: R36/37/38: Irritating to eyes, respiratory system and skin.

Safety phrases: S2: Keep out of the reach of children.

S23: Do not breathe spray.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Seveso II guideline: No

Water hazard class: 1 Classification by VwVwS

Note: The regulatory information given above only indicates the principal regulations specifically

applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Other information: 12 X 1 LTR; NOT SUBJECT TO ADR

Risk phrases used in s.3: R41: Risk of serious damage to eyes.

R34: Causes burns.

 $R37: Irritating \ to \ respiratory \ system.$

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall

be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.