## STEROPLAST LTD SAFETY DATA SHEET

COMPANY DETAILS		
Company	Steroplast Ltd	
Address	Alpha Point, Bradnor Road, Manchester	
	M22 4TE, England	
Tel No.	00 44 161 902 3030	
Fax No.	00 44 161 902 3034	
PRODUCT DETAILS		
Product Name	STEROWIPE	
Product Code	8021	

**PRODUCT: STEROWIPE** 

## USE

Disposable alcohol free cleansing wipe. Not to be used on broken skin. For cleansing purposes only. For external use only. Do not use near eyes and mouth.

PHYSICAL DESCRIPTION / PROPERTIES	
Appearance and Odour	White non-woven fabric swab impregnated with an aqueous preservative solution of Cetrimide in water and chlorhexidine. Individual swabs are sealed into flexible laminate sachets.
Melting Point/Boiling Point	Not determined
Vapour Pressure	As for water
Specific Gravity	1.000
Flashpoint	Nil
Solubility in Water (g/L)	Solution is miscible in water
Percent volatile by volume	Nil

INGREDIENTS		
Chemical Name	CAS No.	Proportion
White Non-Woven Swab Cloth	-	30-60%
Water	7732-18-5	50-99%
Cetrimide (Quaternary Ammonium Antiseptic)	505-86-2	0.2%
Chlorhexidine		0.02%

HEALTH HAZARD INFORMATION	
Health Effects	
Acute	
Swallowed	Not a likely route of exposure. If swallowing did occur, it may cause gastrointestinal irritation, nausea and dizziness.
Eye	May cause eye irritation by direct liquid contact with the eye.
Skin	Prolonged skin contact or repeated exposure not likely to cause significant skin irritation unless there was a pre-existing skin disorder. Symptoms may include redness and dryness
Inhaled	Only slightly harmful if inhaled
Chronic	Chronic or repeated exposure may cause eye irritation respiratory tract irritation, and defatting of the skin, leading to irritation and dermatitis.

Issue 3.0 Page : 1 of 3

## STEROPLAST LTD SAFETY DATA SHEET

Final At I	
First Aid	
Swallowed	In the unlikely event that a wipe was swallowed. DO NOT
	induce vomiting. Give water. Get medical attention.
Eye	Rinse eye with water for 15 minutes, whilst lifting eyelid.
	Get medical attention if effects persist.
Skin	Wash thoroughly with soap and water
Inhaled	Move individual to fresh air. Seek medical attention if
	effects persist. Restore and/or support breathing as
	required.
First-Aid facilities	Eye wash plus normal washroom facilities nearby.
Advice to Doctor	Treat symptomatically.

**PRODUCT: STEROWIPE** 

PRECAUTIONS FOR USE	
Engineering Controls	Provide good ventilation.
Personal Protection	Avoid prolonged skin and eye contact. Avoid breathing vapours in enclosed spaces. Ensure good dilution ventilation is available.
Flammability	The impregnated swab is non-flammable. Packaging is a combustible solid.

SAFE HANDLING INFORMATION	
Storage and Transport	Store in a cool (25 C) dry place.
Spills and Disposal	Place used or broken sachets in a sealed, labelled container for disposal.  Dispose of in accordance with local waste regulations.  May be incinerated in an approved facility.  Used: wipes may be required to be disposed of in accordance with the local authority's infectious waste requirements
Fire or Explosion hazard	Impregnated sachets: no fire or explosion hazard. Packaging material: combustible solid. Extinguishing Media: According to the surrounding area. Any standard fire extinguisher may be used.

OTHER INFORMATION	
Stability and Reactivity	Stable at room temperature. Conditions to Avoid: Heat. Incompatible Materials: Avoid contact with strong oxidising agents. Hazardous Decomposition Products: Carbon monoxide. Hazardous Polymerisation: Will not occur
Environmental Issues	No environmental issues expected

Issue 3.0 Page: 2 of 3

## STEROPLAST LTD SAFETY DATA SHEET

23 November 2007
Quality Manager
Signature

**PRODUCT: STEROWIPE** 

This Data Sheet summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this data sheet and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Issue 3.0 Page: 3 of 3